ELSEVIER

Neuroscience Letters 333 (2002) 220–223

Neuroscience Letters

www.elsevier.com/locate/neulet

Author Index to Volume 333

Adams Jr, J.D., see Yang, J., 91
Aloe, L., see Calamandrei, G., 111
Arawaka, S., see Ishii, K., 5
Arranz, M.J., see Mancama, D., 207
Atta-ur-Rahman, see Raza, M., 103

Bäcker, M., Hammes, M.G., Valet, M., Deppe, M., Conrad, B., Tölle, T.R., Dobos, G., Different modes of manual acupuncture stimulation differentially modulate cerebral blood flow velocity, arterial blood pressure and heart rate in human subjects, 203
Beason, R.C., Semm, P., Responses of neurons to an amplitude modulated microwave stimulus, 175
Beas-Zárate, C., see Chaparro-Huerta, V., 95
Beckmann, H., see Sand, P.G., 41
Beekenkamp, H., see Cavelier, P., 64
Bellmann, O., see Manteuffel, G., 119
Bernardi, G., see Orlacchio, A., 115
Bolwig, T.G., see Woldbye, D.P.D., 127
Bootsma, R.J., Boulard, M., Fernandez, L., Mottet, D., Informational constraints in human precision aiming, 141
Bossu, J.-L., see Cavelier, P., 64
Bottini, N., Saccucci, P., Piciullo, A., Iannetti, P., Lucarini, N., Lucarelli, P., Gloria-Bottini, F., Curatolo, P., Convulsive disorder and the genetics of signal transduction; a study of a low molecular weight protein tyrosine phosphatase in a pediatric sample, 159
Boulard, M., see Bootsma, R.J., 141
Braus, D.F., see Christmann, C., 69
Buijs, R.M., see Scheer, F.A.J.L., 79

Calamandrei, G., Valanzano, A., Puopolo, M., Aloe, L., Developmental exposure to the antiretroviral drug zidovudine increases brain levels of brain-derived neurotrophic factor in mice, 111
Caraos, C., see de Leon, M.J., 183
Cavelier, P., Beekenkamp, H., Shin, H.-S., Jun, K., Bossu, J.-L., Cerebellar slice cultures from mice lacking the P/Q calcium channel: electroresponsiveness of Purkinje cells, 64
Chan, C.C.H., see Lee, T.M.C., 13
Chan, P.H., see Yang, J., 91
Chan, S., see Louis, E.D., 17
Chang, M.L., see Yang, J., 91
Chaparro-Huerta, V., Rivera-Cervantes, M.C., Torres-Mendoza, B.M., Beas-Zárate, C., Neuronal death and tumor necrosis factor-α response to glutamate-induced excitotoxicity in the cerebral cortex of neonatal rats, 95
Chen, C., see Yan, M., 171
Chen, J.-T., see Chou, A.-K., 155
Chen, L., see Inoue, I., 191
Cho, K.G., see Lee, M.A., 74
Chou, A.-K., Muhammad, R., Huang, S.-M., Chen, J.-T., Wu, C.-L., Lin, C.-R., Lee, T.-H., Lin, S.-H., Lu, C.-Y., Yang, L.-C., Altered synaptophysin expression in the rat spinal cord after chronic constriction injury of sciatic nerve, 155
Choudhary, M.I., see Raza, M., 103
Christmann, C., Ruf, M., Braus, D.F., Flor, H., Simultaneous electroencephalography and functional magnetic resonance imaging of primary and secondary somatosensory cortex in humans after electrical stimulation, 69
Chua, Y.L., see Yan, M., 171
Coca-Prados, M., see Ortego, J., 49
Collier, D., see Mancama, D., 207
Conrad, B., see Bäcker, M., 203
Convit, A., see de Leon, M.J., 183
Curatolo, P., see Bottini, N., 159
Curi, R., see Homi, H.M., 37

D'Andrea, M.R., Nagele, R.G., Wang, H.-Y., Lee, D.H.S., Consistent immunohistochemical detection of intracellular β-amyloid42 in pyramidal neurons of Alzheimer's disease entorhinal cortex, 163
Danion, F., see Vuillerme, N., 131
Däuper, J., see Kossev, A.R., 83
Davies, P., see de Leon, M.J., 183
de Kloet, E.R., see Sibug, R.M., 199
de Koning, J., see Sibug, R.M., 199
de Leon, M.J., Segal, S., Tarshish, C.Y., DeSanti, S., Zinkowski, R., Mehta, P.D., Convit, A., Caraos, C., Rusinek, H., Tsui, W., Saint Louis, L.A., DeBernardis, J., Kerkman, D., Qadri, F., Gary, A., Lesbre, P., Wisniewski, T., Poirier, J., Davies, P., Longitudinal cerebrospinal fluid tau load increases in mild cognitive impairment in humans, 183
de Tommaso, M., Guido, M., Libro, G., Losito, L., Sciruicchio, V., Monetti, C., Puca, F., Abnormal brain processing of cutaneous pain in migraine patients during the attack, 29
DeBernardis, J., see de Leon, M.J., 183
Debnath, M.L., see Ishii, K., 5
Deckert, J., see Sand, P.G., 41
DeLorenzo, R.J., see Raza, M., 103
Dengler, R., see Kossev, A.R., 83
Deppe, M., see Bäcker, M., 203
DeSanti, S., see de Leon, M.J., 183
Dixon, C.E., see Kline, A.E., 179
Dobos, G., see Bäcker, M., 203

Fernandez, L., see Bootsma, R.J., 141
Flachenecker, P., see Sand, P.G., 41
Fliers, E., see Scheer, F.A.J.L., 79
Flor, H., see Christmann, C., 69
Forestier, N., see Vuillerme, N., 131

PII: S0304-3940(02)01211-9

Fowler, S.C., see Stanford, J.A., 195
Fox, P.T., see Lee, T.M.C., 13
Franke, P., see Sand, P.G., 41
Freitas, J.J.S., see Homi, H.M., 37
Fritze, J., see Sand, P.G., 41
Furiya, Y., see Ishii, K., 5

Gallinat, J., see Wernicke, C., 45
Gao, J.-H., see Lee, T.M.C., 13
Gary, A., see de Leon, M.J., 183
Geisert, E.E., see Sheehan, J.P., 212
Gerhardt, G.A., see Stanford, J.A., 195
Geurts, M., Hermans, E., Maloteaux, J.-M., Opposite modulation of regulators of G protein signalling-2 (RGS2) and RGS4 expression by dopamine receptors in the rat striatum, 146
Gibbins, I.L., see Morris, J.L., 54
Gilg, A.G., see Stanislaus, R., 167
Gloria-Bottini, F., see Bottini, N., 159
Godau, C., see Sand, P.G., 41
Guido, M., see de Tommaso, M., 29

Hammes, M.G., see Bäcker, M., 203
Hatoya, S., see Inaba, T., 107
Helm, G.A., see Sheehan, J.P., 212
Helmerhorst, F.M., see Sibug, R.M., 199
Hermans, E., see Geurts, M., 146
Heun, R., see Mubumbila, V., 9
Holmberg, E.G., see Sheehan, J.P., 212
Homi, H.M., Freitas, J.J.S., Curi, R., Velasco, I.T., Junior, B.A.S., Changes in superoxide dismutase and catalase activities of rat brain regions during early global transient ischemia/reperfusion, 37
Hoosain, R., see Lee, T.M.C., 13
Hori, M., see Kitagawa, K., 187
Huang, S.-M., see Chou, A.-K., 155
Huh, Y., see Lee, J., 87
Husum, H., see Woldbye, D.P.D., 127

Iannetti, P., see Bottini, N., 159
Ichinose, H., see Lee, M.A., 74
Inaba, T., Namura, T., Tani, H., Matsuyama, S., Torii, R., Kawate, N., Tamada, H., Hatoya, S., Kumagai, D., Sugiura, K., Sawada, T., Enhancement of aromatase gene expression in the mediobasal hypothalamus during anestrus in the beagle bitch, 107
Inden, M., see Kitamura, Y., 25
Inoue, I., Chen, L., Zhou, L., Zeng, X., Wang, H., Reproduction of scalp acupuncture therapy on strokes in the model rats, spontaneous hypertensive rats-stroke prone (SHR-SP), 191
Ishii, K., Klunk, W.E., Arawaka, S., Debnath, M.L., Furiya, Y., Sahara, N., Shoji, S., Tamaoka, A., Pettegrew, J.W., Mori, H., Chrysamine G and its derivative reduce amyloid β-induced neurotoxicity in mice, 5
Israël, I., see Siegler, I., 99
Ito, M., see Loaiza, L.A., 136

Jang, M.-H., see Ra, S.-M., 123
Jin, B.K., see Lee, M.A., 74
Jobling, P., see Morris, J.L., 54
Jun, K., see Cavelier, P., 64
Junior, B.A.S., see Homi, H.M., 37
Jurewicz, E.C., see Louis, E.D., 17

Kakimura, J.-i., see Kitamura, Y., 25
Kanba, S., see Suzuki, E., 217
Kang, M., see Lee, J., 87
Kanitz, E., see Manteuffel, G., 119
Kawarai, T., see Orlacchio, A., 115
Kawate, N., see Inaba, T., 107
Kerkman, D., see de Leon, M.J., 183
Kerwin, R., see Mancama, D., 207
Kim, C.-J., see Ra, S.-M., 123
Kim, E.-H., see Ra, S.-M., 123
Kim, H., see Ra, S.-M., 123
Kim, K.-M., see Ra, S.-M., 123
Kim, S.-S., see Ra, S.-M., 123
Kim, S.U., see Lee, M.A., 74
Kitagawa, K., Takasawa, K., Kuwabara, K., Sasaki, T., Tanaka, S., Mabuchi, T., Sugiura, S., Omura-Matsuoka, E., Matsumoto, M., Hori, M., Differential Akt phosphorylation at Ser473 and Thr308 in cultured neurons after exposure to glutamate in rats, 187
Kitamura, Y., Inden, M., Miyamura, A., Kakimura, J.-i., Taniguchi, T., Shimohama, S., Possible involvement of both mitochondria- and endoplasmic reticulum-dependent caspase pathways in rotenone-induced apoptosis in human neuroblastoma SH-SY5Y cells, 25
Klaidman, L.K., see Yang, J., 91
Kline, A.E., Yu, J., Massucci, J.L., Zafonte, R.D., Dixon, C.E., Protective effects of the 5-HT_{1A} receptor agonist 8-hydroxy-2-(di-*n*-propylamino)-tetralin against traumatic brain injury-induced cognitive deficits and neuropathology in adult male rats, 179
Klunk, W.E., see Ishii, K., 5
Kokaia, M., see Woldbye, D.P.D., 127
Kossev, A.R., Schrader, C., Däuper, J., Dengler, R., Rollnik, J.D., Increased intracortical inhibition in middle-aged humans; a study using paired-pulse transcranial magnetic stimulation, 83
Kumagai, D., see Inaba, T., 107
Kuwabara, K., see Kitagawa, K., 187

Lee, D.H.S., see D'Andrea, M.R., 163
Lee, H.S., see Lee, M.A., 74
Lee, H.-S., see Lee, M.A., 74
Lee, J., Park, K., Lee, S., Whang, K., Kang, M., Park, C., Huh, Y., Differential changes of calcium binding proteins in the rat striatum after kainic acid-induced seizure, 87
Lee, M.A., Lee, H.-S., Lee, H.S., Cho, K.G., Jin, B.K., Sohn, S., Lee, Y.S., Ichinose, H., Kim, S.U., Overexpression of midbrain-specific transcription factor Nurr1 modifies susceptibility of mouse neural stem cells to neurotoxins, 74
Lee, S., see Lee, J., 87
Lee, T.-H., see Chou, A.-K., 155
Lee, T.-H., see Ra, S.-M., 123
Lee, T.M.C., Liu, H.-L., Hoosain, R., Liao, W.-T., Wu, C.-T., Yuen, K.S.L., Chan, C.C.H., Fox, P.T., Gao, J.-H., Gender differences in neural correlates of recognition of happy and sad faces in humans assessed by functional magnetic resonance imaging, 13
Lee, Y.S., see Lee, M.A., 74
Lesbre, P., see de Leon, M.J., 183
Lesch, K.-P., see Sand, P.G., 41
Leza, J.C., see Molina, J.A., 151
Liao, W.-T., see Lee, T.M.C., 13
Libro, G., see de Tommaso, M., 29
Lim, B.-V., see Ra, S.-M., 123
Lim, Y.L., see Yan, M., 171
Lin, C.-R., see Chou, A.-K., 155
Lin, S.-H., see Chou, A.-K., 155

Liu, D.L., see Yan, M., 171
Liu, H.-L., see Lee, T.M.C., 13
Lizasoaín, I., see Molina, J.A., 151
Loaiza, L.A., Yamaguchi, S., Ito, M., Ohshima, N., Vasodilatation of muscle microvessels induced by somatic afferent stimulation is mediated by calcitonin gene-related peptide release in the rat, 136
Losito, L., see de Tommaso, M., 29
Louis, E.D., Shungu, D.C., Chan, S., Mao, X., Jurewicz, E.C., Watner, D., Metabolic abnormality in the cerebellum in patients with essential tremor: a proton magnetic resonance spectroscopic imaging study, 17
Lu, C.-Y., see Chou, A.-K., 155
Lucarelli, P., see Bottini, N., 159
Lucarini, N., see Bottini, N., 159

Mabuchi, T., see Kitagawa, K., 187
Maeck, L., Meller, J., Otto, M., Stiens, G., Wiltfang, J., Stoppe, G., Aβ peptide$_{1-42}$, Tau protein and S-100B protein level in cerebrospinal fluid of three patients with primary progressive aphasia, 33
Maier, W., see Sand, P.G., 41
Makoff, A., see Mancama, D., 207
Maloteaux, J.-M., see Geurts, M., 146
Mancama, D., Arranz, M.J., Munro, J., Osborne, S., Makoff, A., Collier, D., Kerwin, R., Investigation of promoter variants of the histamine 1 and 2 receptors in schizophrenia and clozapine response, 207
Manteuffel, G., Kanitz, E., Bellmann, O., Stabenow, B., Temporal relationship of hippocampal liquor- and plasma-cortisol-concentrations in the domestic pig challenged with synthetical adreno-corticotrophic hormone, 119
Manzanares, J., see Molina, J.A., 151
Mao, X., see Louis, E.D., 17
Massucci, J.L., see Kline, A.E., 179
Matsumoto, M., see Kitagawa, K., 187
Matsuyama, S., see Inaba, T., 107
Mehta, P.D., see de Leon, M.J., 183
Meller, J., see Maeck, L., 33
Meng, F., Zhang, G., Autophosphorylated calcium/calmodulin-dependent protein kinase II α induced by cerebral ischemia immediately targets and phosphorylates *N*-methyl-D-aspartate receptor subunit 2B (NR2B) in hippocampus of rats, 59
Miyamura, A., see Kitamura, Y., 25
Miyaoka, H., see Suzuki, E., 217
Molina, J.A., Leza, J.C., Ortiz, S., Moro, M.A., Pérez, S., Lizasoaín, I., Urigüen, L., Oliva, J.M., Manzanares, J., Cerebrospinal fluid and plasma concentrations of nitric oxide metabolites are increased in dementia with Lewy bodies, 151
Monetti, C., see de Tommaso, M., 29
Mori, H., see Ishii, K., 5
Mori, T., see Sand, P.G., 41
Moro, M.A., see Molina, J.A., 151
Morris, J.L., Jobling, P., Shimizu, T., Gibbins, I.L., Interleukin-1 receptor immunoreactivity in sympathetic vascular and non-vascular neurons in guinea-pig coeliac ganglion, 54
Mottet, D., see Bootsma, R.J., 141
Mubumbila, V., Sutter, A., Ptok, U., Heun, R., Quirin-Stricker, C., Identification of a single nucleotide polymorphism in the choline acetyltransferase gene associated with Alzheimer's disease, 9
Muhammad, R., see Chou, A.-K., 155
Munro, J., see Mancama, D., 207

Nagele, R.G., see D'Andrea, M.R., 163
Nakaki, T., see Suzuki, E., 217
Nalbandian, A., see Yang, J., 91
Namura, T., see Inaba, T., 107
Nanobashvili, A., see Woldbye, D.P.D., 127
Nöthen, M.M., see Sand, P.G., 41
Nougier, V., see Vuillerme, N., 131

Ohshima, N., see Loaiza, L.A., 136
Oliva, J.M., see Molina, J.A., 151
Oliver, J., see Yang, J., 91
Omura-Matsuoka, E., see Kitagawa, K., 187
Orlacchio, A., Kawarai, T., Polidoro, M., Stefani, A., Orlacchio, A., St George-Hyslop, P.H., Bernardi, G., Association analysis between Alzheimer's disease and the Nicastrin gene polymorphisms, 115
Orlacchio, A., see Orlacchio, A., 115
Ortego, J., Wollmann, G., Coca-Prados, M., Differential regulation of gene expression of neurotensin and prohormone convertases PC1 and PC2 in the bovine ocular ciliary epithelium: possible implications on neurotensin processing, 49
Ortiz, S., see Molina, J.A., 151
Osborne, S., see Mancama, D., 207
Otto, M., see Maeck, L., 33

Park, C., see Lee, J., 87
Park, K., see Lee, J., 87
Pérez, S., see Molina, J.A., 151
Pettegrew, J.W., see Ishii, K., 5
Piciullo, A., see Bottini, N., 159
Poirier, J., see de Leon, M.J., 183
Polidoro, M., see Orlacchio, A., 115
Ptok, U., see Mubumbila, V., 9
Puca, F., see de Tommaso, M., 29
Puopolo, M., see Calamandrei, G., 111

Qadri, F., see de Leon, M.J., 183
Quirin-Stricker, C., see Mubumbila, V., 9

Ra, S.-M., Kim, H., Jang, M.-H., Shin, M.-C., Lee, T.-H., Lim, B.-V., Kim, C.-J., Kim, E.-H., Kim, K.-M., Kim, S.-S., Treadmill running and swimming increase cell proliferation in the hippocampal dentate gyrus of rats, 123
Raza, M., Shaheen, F., Choudhary, M.I., Atta-ur-Rahman, Sombati, S., DeLorenzo, R.J., In vitro inhibition of pentylenetetrazole and bicuculline-induced epileptiform activity in rat hippocampal pyramidal neurons by aqueous fraction isolated from *Delphinium denudatum*, 103
Riederer, P., see Sand, P.G., 41
Rivera-Cervantes, M.C., see Chaparro-Huerta, V., 95
Rollnik, J.D., see Kossev, A.R., 83
Rommelspacher, H., see Wernicke, C., 45
Roskoden, T., Zilles, K., Schleicher, A., Schwegler, H., Transient postnatal thyroxine treatment leads to variation in transmitter binding site densities in the hippocampus of rats, 21
Ruf, M., see Christmann, C., 69
Rusinek, H., see de Leon, M.J., 183

Saccucci, P., see Bottini, N., 159
Sahara, N., see Ishii, K., 5
Saint Louis, L.A., see de Leon, M.J., 183
Sand, P.G., Mori, T., Godau, C., Stöber, G., Flachenecker, P., Franke, P., Nöthen, M.M., Fritze, J., Maier, W., Lesch, K.-P., Riederer, P., Beckmann, H., Deckert, J., Norepinephrine transporter gene (NET) variants in patients with panic disorder, 41

Sasaki, T., see Kitagawa, K., 187
Sawada, T., see Inaba, T., 107
Scheer, F.A.J.L., Van Paassen, B., Van Montfrans, G.A., Fliers, E., Van Someren, E.J.W., Van Heerikhuize, J.J., Buijs, R.M., Human basal cortisol levels are increased in hospital compared to home setting, 79
Schleicher, A., see Roskoden, T., 21
Schmidt, L.G., see Wernicke, C., 45
Schrader, C., see Kossev, A.R., 83
Schwegler, H., see Roskoden, T., 21
Sciruicchio, V., see de Tommaso, M., 29
Segal, S., see de Leon, M.J., 183
Semm, P., see Beason, R.C., 175
Shaheen, F., see Raza, M., 103
Sheehan, J.M., see Sheehan, J.P., 212
Sheehan, J.P., Sheehan, J.M., Holmberg, E.G., Geisert, E.E., Helm, G.A., A horseradish peroxidase-light and electron microscopic study of immunoliposomes utilized for intracellular delivery to the rat striatum, 212
Shimizu, T., see Morris, J.L., 54
Shimohama, S., see Kitamura, Y., 25
Shin, H.-S., see Cavelier, P., 64
Shin, M.-C., see Ra, S.-M., 123
Shintani, F., see Suzuki, E., 217
Shoji, S., see Ishii, K., 5
Shungu, D.C., see Louis, E.D., 17
Sibug, R.M., Helmerhorst, F.M., Tijssen, A.M.I., de Kloet, E.R., de Koning, J., Estrogen reduces vascular endothelial growth factor$_{164}$ expression in the mouse nucleus paraventricularis of the hypothalamus, 199
Sidorov, A.V., Effect of temperature on synaptic transmission between identified neurones of the mollusc *Lymnaea stagnalis*, 1
Siegler, I., Israël, I., The importance of head-free gaze control in humans performing a spatial orientation task, 99
Singh, A.K., see Stanislaus, R., 167
Singh, I., see Stanislaus, R., 167
Smolka, M., see Wernicke, C., 45
Sohn, S., see Lee, M.A., 74
Sombati, S., see Raza, M., 103
St George-Hyslop, P.H., see Orlacchio, A., 115
Stabenow, B., see Manteuffel, G., 119
Stanford, J.A., Vorontsova, E., Surgener, S.P., Gerhardt, G.A., Fowler, S.C., Aged Fischer 344 rats exhibit altered locomotion in the absence of decreased locomotor activity: exacerbation by nomifensine, 195
Stanislaus, R., Gilg, A.G., Singh, A.K., Singh, I., Immunomodulation of experimental autoimmune encephalomyelitis in the Lewis rats by Lovastatin, 167
Stefani, A., see Orlacchio, A., 115
Stiens, G., see Maeck, L., 33
Stöber, G., see Sand, P.G., 41
Stoppe, G., see Maeck, L., 33
Sugiura, K., see Inaba, T., 107
Sugiura, S., see Kitagawa, K., 187
Surgener, S.P., see Stanford, J.A., 195
Sutter, A., see Mubumbila, V., 9
Suzuki, E., Nakaki, T., Shintani, F., Kanba, S., Miyaoka, H., Antipsychotic, antidepressant, anxiolytic, and anticonvulsant drugs induce type II nitric oxide synthase mRNA in rat brain, 217

Takasawa, K., see Kitagawa, K., 187
Tamada, H., see Inaba, T., 107
Tamaoka, A., see Ishii, K., 5
Tanaka, S., see Kitagawa, K., 187
Tani, H., see Inaba, T., 107
Taniguchi, T., see Kitamura, Y., 25
Tarshish, C.Y., see de Leon, M.J., 183
Tijssen, A.M.I., see Sibug, R.M., 199
Tölle, T.R., see Bäcker, M., 203
Torii, R., see Inaba, T., 107
Torres-Mendoza, B.M., see Chaparro-Huerta, V., 95
Tsui, W., see de Leon, M.J., 183

Urigüen, L., see Molina, J.A., 151

Valanzano, A., see Calamandrei, G., 111
Valet, M., see Bäcker, M., 203
Van Heerikhuize, J.J., see Scheer, F.A.J.L., 79
Van Montfrans, G.A., see Scheer, F.A.J.L., 79
Van Paassen, B., see Scheer, F.A.J.L., 79
Van Someren, E.J.W., see Scheer, F.A.J.L., 79
Velasco, I.T., see Homi, H.M., 37
Vorontsova, E., see Stanford, J.A., 195
Vuillerme, N., Danion, F., Forestier, N., Nougier, V., Postural sway under muscle vibration and muscle fatigue in humans, 131

Wang, H., see Inoue, I., 191
Wang, H.-Y., see D'Andrea, M.R., 163
Watner, D., see Louis, E.D., 17
Wernicke, C., Smolka, M., Gallinat, J., Winterer, G., Schmidt, L.G., Rommelspacher, H., Evidence for the importance of the human dopamine transporter gene for withdrawal symptomatology of alcoholics in a German population, 45
Whang, K., see Lee, J., 87
Wiltfang, J., see Maeck, L., 33
Winterer, G., see Wernicke, C., 45
Wisniewski, T., see de Leon, M.J., 183
Woldbye, D.P.D., Nanobashvili, A., Husum, H., Bolwig, T.G., Kokaia, M., Neuropeptide Y inhibits in vitro epileptiform activity in the entorhinal cortex of mice, 127
Wollmann, G., see Ortego, J., 49
Wu, C.-L., see Chou, A.-K., 155
Wu, C.-T., see Lee, T.M.C., 13

Yamaguchi, S., see Loaiza, L.A., 136
Yan, M., Liu, D.L., Chua, Y.L., Chen, C., Lim, Y.L., Tyrosine kinase inhibitors suppress α_1-adrenoceptor mediated contraction in human radial, internal mammary arteries and saphenous vein, 171
Yang, J., Klaidman, L.K., Nalbandian, A., Oliver, J., Chang, M.L., Chan, P.H., Adams Jr, J.D., The effects of nicotinamide on energy metabolism following transient focal cerebral ischemia in Wistar rats, 91
Yang, L.-C., see Chou, A.-K., 155
Yu, J., see Kline, A.E., 179
Yuen, K.S.L., see Lee, T.M.C., 13

Zafonte, R.D., see Kline, A.E., 179
Zeng, X., see Inoue, I., 191
Zhang, G., see Meng, F., 59
Zhou, L., see Inoue, I., 191
Zilles, K., see Roskoden, T., 21
Zinkowski, R., see de Leon, M.J., 183